

INTERCHANGE TABLE

FK	ALINABAL	AURORA	HEIM / BOSTON	MORSE / SPHERCO	TUTHILL	NMB / NHBB
MALE ROD ENDS						
CM	AM-GP	CM	M-CR	CFM	MSM	AHM / LSPL
CM-T	AM-T-GP	VCM		CFM-T	MSM-T	
CM-Y	AM-S-GP	CM-S	M-CRY	CFM-Y	MSM-S	
CM-Z	AM-8	CM-Z	M-CRG	CFM-N	MSM-Z	
CM-M		CM-M			EM-M	
CMX		RM-X5			MAX	
M		BM	HM	TRE		
M-SB	VM-G		HM-C	TM	MBM	
NJM	PM		CMHD	CTMD	NM/SPM	
JM	LCTM-X5	MM / KM	HMA		MTSM	HAMR
JM-T		MM-T / KM-T	HME	TRE-T	MTSM-T	AMRT
JMX	RM-X5	AM	BHM	ARE	TSMX	HAMRX
RJMX-T		RAM-T			NSMX-T	
RSM	LCRM-1-X5	XM			RM	AXM
RSMX	RM-1-X5	XAM			RMX	XAMX
RRSMX-T		RXAM-T				
HRSMX-T		HXAM-T				ARYT-ECR
PMX-T		PRM-T				ART-ES
KMX						
ALJM/ALJMH	ARM-X5	ALM			KCA	ALRE
ALRSM	ARM-1-X5	XALM			KCAX	XALRE
SCM-T		CM-ET			SSM-T	
SJM-T		SM-ET	ME		SSAM-T	ART-ECR
SRSM-T					SSHM-T	ARHT-ECR
SCM-MT						
FEMALE ROD ENDS						
CF	AF-GP	CW	F-CR	CFF	MSF	AHF-CSPL
CF-T	AF-T-GP	CW-T		CFF-T	MSF-T	
F		BW	HF	TR		
F-SB	VF-G		HFC	TF	MBF	
NJF	PF		CFHD	CTFD	NF/SPF	
JF	CF	MW / KW	HFA		MTSF	HAFR
JF-T		MW-T / KW-T	HFE	TR-T	MTSFT	AFRT
JFX		AW		AR	TSFX	HAFRX
ALJF						
SCF-T		CW-ET			SSF-T	
SJF-T		SW-ET			SSAF-T	ART-CR
SCF-MT						
SPHERICAL BEARINGS						
COM	COM-E	COM	COM	COM	COM	CBG
COMH		HCOM		BH-LS		RSH
HIN-T		HAB-T			YSSB	ABYT
K	VBC-G		LS	FLBG		ASL-G
FKS		COM-KH	LHA	SBGS		RS
FKS-T		COM-KHT				RS-T
FKSSX-T		NC-T	NE/LHSSE	NRR	NSSB	ABT
FKSSX-TV		NC-TG	NE-G/LHSSV V	NRRG	NSSB-V	ABT-V
WSSX-T		WC-T	WE	WRR	WSSB	ABWT
WSSX-TV		WC-TG	WE-G	WRRG	WSSB-V	ABWT-V

NOTE: This interchange table shows approximate equivalency. It is not intended that all manufacturers' products are functionally interchangeable in all applications. F.K. Bearings reserves the right to change specifications and other information included in this catalog without notice. All information, data, and dimension tables in this catalog have been carefully compiled and thoroughly checked. However, no responsibility for possible errors or omissions can be assumed.

WARNING!

The manufacturer can not determine all applications of its products. It is up to the customer to determine a suitable part for their application. For assistance, please contact FK's Engineering Department.

Precision angular contact bearings

Extra light type

Series 7000

Spindle Bearing Interchange RHP	FAFNIR	BARDEN	NEW DEPARTURE	MRC	Dimensions in Millimeters			MAX. FILLET Radius	Balls No.	Dia. Inches	Basic Radial Load rating
					B	D	W				
7000 T DU EP7	2MM9100WI-CR	100HD	QOL00DTL7	100KRD	10	26		8 0-3	8 3/16	835	
7001 R DU EP7	2MM9101WI-CR	101HD	QOL01DTL7	101KRD	12	28		8 0-3	9 3/16	920	
7002 T DU EP7	2MM9102-WI-CR	102HD	QOL02DTL7	102KRD	15	32		9 0-3	11 3/16	1060	
7003 T DU EP7	2MM9103WI-CR	103HD	QOL03DTL7	103KRD	17	35		10 0-3	12 3/16	1120	
7004 T DU EP7	2MM9104WI-CR	104HD	QOL04DTL7	104KRD	20	42		12 0-6	10 1/4	1670	
7005 T DU EP7	2MM9105WI-CR	105HD	QOL05DTL7	105KRD	25	47		12 0-6	13 1/4	1980	
7006 T DU EP7	2MM9106WI-CR	106HD	QOL06DRL7	106KRD	30	55		13 1-0	14 9/32	2560	
7007 T DU EP7	2MM9107WI-CR	107HD	QOL07DTL7	107KRD	35	62		14 1-0	14 5/16	3090	
7008 T DU EP7	2MM9108WI-CR	108HD	QOL08DTL7	108KRD	40	68		15 1-0	16 5/16	3340	
7009 T DU EP7	2MM9109WI-CR	109HD	QOL09DTL7	109KRD	45	75		16 1-0	16 11/32	3960	
7010 T DU EP7	2MM9110WI-CR	110HD	QOL10DTL7	110KRD	50	80		16 1-0	17 11/32	4080	
7011 T DU EP7	2MM9111WI-CR	111HD	QOL11DTL7	111KRD	55	90		18 1-0	17 13/32	5550	
7012 T DU EP7	2MM9112WI-CR	112HD	QOL12DTL7	112KRD	60	95		18 1-0	18 13/32	5700	
7013 T DU EP7	2MM9113WI-CR	113HD	QOL13DTL7	113KRD	65	100		18 1-0	19 13/32	5800	
7014 T DU EP7	2MM9114WI-CR	114HD	QOL14DTL7	114KRD	70	110		20 1-0	18 15/32	7350	
7015 T DU EP7	2MM9115WI-CR	115HD	QOL15DTL7	115KRD	75	115		20 1-0	20 15/32	7850	
7016 T DU EP7	2MM9116WI-CR		QOL16DTL7	116KRD	80	125		22 1-0	19 17/32	9600	
7017 T DU EP7	2MM9117WI-CR		QOL17DTL7	117KRD	85	130		22 1-0	20 17/32	9800	
7018 T DU EP7	2MM9118WI-CR		QOL18DTL7	118KRD	90	140		24 1-5	19 19/32	11700	
7019 T DU EP7	2MM9119WI-CR		QOL19DTL7	119KRD	95	145		24 1-5	20 19/32	12000	
7020 T DU EP7	2MM9120WI-CR		QOL20DTL7	120KRD	100	150		24 1-5	20 19/32	11900	
7022 T DU EP7					110	170		28 2-0	19 23/32	16500	
7024 T DU EP7					120	180		28 2-0	21 23/32	17400	
7026 T DU EP7					130	200		33 2-0	20 13/16	21200	
7028 T DU EP7					140	210		33 2-0	22 13/16	22200	
7030 T DU EP7					150	225		35 2-0	21 7/8	25000	

Precision angular contact bearings

Extra light type

Series 7200

Spindle Bearing Interchange RHP	FAFNIR	BARDEN	NEW DEPARTURE	MRC	Dimensions in Millimeters			MAX. FILLET Radius	Balls No.	Dia. Inches	Basic Radial Load rating
					B	D	W				
7200 T DU EP7	2MM200WI-CR	200HD	Q20200DTL7	200 RD	10	30		9 0-6	8 7/32	1100	
7201 T DU EP7	2MM201WI-CR	201HD	Q20201DTL7	201 RD	12	32		10 0-6	8 7/32	1200	
7202 T DU EP7	2MM202WI-CR	202HD	Q20202DTL7	202 RD	15	35		11 0-6	9 1/4	1530	
7203 T DU EP7	2MM203WI-CR	203HD	Q20203DTL7	203 RD	17	40		12 0-6	9 9/32	1900	
7204 T DU EP7	2MM204WI-CR	204HD	Q20204DTL7	204 RD	20	47		14 1-0	9 5/16	2300	
7205 T DU EP7	2MM205WI-CR	205HD	Q20205DTL7	205 RD	25	52		15 1-0	10 5/16	2500	
7206 T DU EP7	2MM206WI-CR	206HD	Q20206DTL7	206 RD	30	62		16 1-0	11 25/64	3960	
7207 T DU EP7	2MM207WI-CR	207HD	Q20207DTL7	207 RD	35	72		17 1-0	12 7/16	5150	
7208 T DU EP7	2MM208WI-CR	208HD	Q20208DTL7	208 RD	40	80		18 1-0	11 1/2	6200	
7209 T DU EP7	2MM209WI-CR	209HD	Q20209DTL7	209 RD	45	85		19 1-0	12 1/2	6550	
7210 T DU EP7	2MM210WI-CR	210HD	Q20210DTL7	210 RD	50	90		20 1-0	14 1/2	7250	
7211 T DU EP7	2MM211WI-CR	211HD	Q20211DTL7	211 RD	55	100		21 1-5	14 9/16	9000	
7212 T DU EP7	2MM212WI-CR	212HD	Q20212DTL7	212 RD	60	110		22 1-5	13 5/8	10300	
7213 T DU EP7	2MM213WI-CR	213HD	Q20213DTL7	213 RD	65	120		23 1-5	13 21/32	11300	
7214 T DU EP7	2MM214WI-CR	214HD	Q20214DTL7	214 RD	70	125		24 1-5	14 11/16	12900	
7215 T DU EP7	2MM215WI-CR	215HD	Q20215DTL7	215 RD	75	130		25 1-5	15 11/16	13400	
7216 T DU EP7	2MM216WI-CR		Q20216DTL7	216 RD	80	140		26 2-0	14 3/4	15000	
7217 T DU EP7	2MM217WI-CR		Q20217DTL7	217 RD	85	150		28 2-0	15 25/32	16800	
7218 T DU EP7	2MM218WI-CR		Q20218DTL7	218 RD	90	160		30 2-0	16 13/16	18900	
7219 T DU EP7	2MM219WI-CR		Q20219DTL7	219 RD	95	170		32 2-0	15 29/32	22000	
7220 T DU EP7	2MM220WI-CR		Q20220DTL7	220 RD	100	180		34 2-0	14	25400	
7222 T DU EP7					110	200		38 2-0	15 1-1/16	28600	
7224 T DU EP7					120	215		40 2-0	16 1-1/16	29800	
7226 T DU EP7					130	230		40 2-5	15 1-3/16	33400	
7228 T DU EP7					140	250		42 2-5	15 1-5/16	35400	
7230 T DU EP7					150	270		45 2-5	16 1-5/16	40000	

PAGE	TYPE E	BROWNING	DODGE	REX*	ROYERSFORD	HUB CITY	SEALMASTER	SKF*
11	2-Bolt Pillow Block	PBE920	P2BE	ZEP2000	20-02-0103	EPB2	EPB-2	SYE
12	4-Bolt Pillow Block	PBE920F	P4BE	ZEP2000-F	20-04-0204	EPB4	EPB-4	FSYE
13	4-Bolt Square Flange	FBE920	F4BE	ZEF2000-F	20-05-0103	EFB4	EFB	-----
14	Piloted Flange	-----	FCE	-----	20-06-0103	EFC4	-----	-----
15	Wide Slot Take-Up	TUE920	WSTUE	-----	20-07-0106	ETUWS	ETU	-----

PAGE	M2000	BROWNING	DODGE	LINK-BELT	REX	SKF
30	2-Bolt Pillow Block	SPB1000	P2BS2000	PB22400H	ZA2000	SYR
31	4-Bolt Pillow Block	SPB1000F	P4BS2000	PB22400FH	ZA2000F	-----
32	4-Bolt Square Flange	SFB1000	F4BS2000	FB22400H	ZB2000	FYR
33	Piloted Flange Cartridge	SFC1000	FCS2000	FCB22400H	ZBR2000	FYRP
34	Wide Slot Take-Up	STU1000NE	WSTUS2	TB22400H	ZT2000	TBR

*Rex and SKF units feature spherical single collar inserts.

Note:
This is a general dimensional interchange. For exact dimensions and comparison information on inserts and seals, please contact the factory.

PAGE	MOUNTED BALL BEARINGS	BROWNING	DODGE	SEALMASTER	HUB CITY	FAFNIR	FYH
48	UCP	VPS	SC-1	RP	PB251	SAS	UCP
54	HCP	VPE	SXR-1	RPE	PB221	RAS	NAP
50	UCF	VF4S	SC-4	RF	FB250	SCJ	UCF
56	HCF	VF4E	SXR-4	RFE	FB220	RCJ	NANF
49	UCFL	VF2S	SC-2	RFT	FB260	SCJT	UCFL
55	HCFL	VF2E	SXR-2	RFTE	FB230	RCJT	NANFL
51	UCFC	-----	FCSC	-----	-----	-----	UCFC2
57	HCFC	-----	-----	-----	-----	-----	-----
52	UCT	VTWS	WSTUSC	RT	WSTU250	VTU	UCT
58	HCT	VTWE	WSTUSXR	RE-E	WSTU220	RTU	NAT

INTERCHANGE TABLES

Unsealed Cam Followers

Regular Stud • Unsealed

SMITH®	McGill	RBC	Torrington
CR - 1/2-A	CF - 1/2-N	---	CR - 8
CR - 1/2	CF - 1/2	S - 16	CR - 8-1
CR - 9/16	CF - 9/16	S - 18	---
CR - 5/8-A	CF - 5/8-N	---	CR - 10
CR - 5/8	CF - 5/8	S - 20	CR - 10-1
CR - 11/16	CF - 11/16	S - 22	---
CR - 3/4	CF - 3/4	S - 24	CR - 12
CR - 7/8	CF - 7/8	S - 28	CR - 14
CR - 1	CF - 1	S - 32	CR - 16
CR - 1 1/8	CF - 1 1/8	S - 36	CR - 18
CR - 1 1/4	CF - 1 1/4	S - 40	CR - 20
CR - 1 3/8	CF - 1 3/8	S - 44	CR - 22
CR - 1 1/2	CF - 1 1/2	S - 48	CR - 24
CR - 1 5/8	CF - 1 5/8	S - 52	CR - 26
CR - 1 3/4	CF - 1 3/4	S - 56	CR - 28
CR - 1 7/8	CF - 1 7/8	S - 60	CR - 30
CR - 2	CF - 2	S - 64	CR - 32
CR - 2 1/4	CF - 2 1/4	S - 72	CR - 36
CR - 2 1/2	CF - 2 1/2	S - 80	CR - 40
CR - 2 3/4	CF - 2 3/4	S - 88	CR - 44
CR - 3	CF - 3	S - 96	CR - 48
CR - 3 1/4	CF - 3 1/4	S - 104	CR - 52
CR - 3 1/2	CF - 3 1/2	S - 112	CR - 56
CR - 4	CF - 4	S - 128	CR - 64
CR - 5	CF - 5	S - 160	CR - 80
CR - 6	CF - 6	S - 192	CR - 96

Heavy Stud • Unsealed

SMITH®	McGill	RBC
HR - 1/2	CFH - 1/2	H-16
HR - 5/8	CFH - 5/8	H-20
HR - 3/4	CFH - 3/4	H-24
HR - 7/8	CFH - 7/8	H-28
HR - 1	CFH - 1	H-32
HR - 1 1/8	CFH - 1 1/8	H-36
HR - 1 1/4	CFH - 1 1/4	H-40
HR - 1 3/8	CFH - 1 3/8	H-44
HR - 1 1/2	CFH - 1 1/2	H-48
HR - 1 5/8	CFH - 1 5/8	H-52
HR - 1 3/4	CFH - 1 3/4	H-56
HR - 1 7/8	CFH - 1 7/8	H-60
HR - 2	CFH - 2	H-64
HR - 2 1/4	CFH - 2 1/4	H-72
HR - 2 1/2	CFH - 2 1/2	H-80
HR - 2 3/4	CFH - 2 3/4	H-88
HR - 3	CFH - 3	H-96
HR - 3 1/4	CFH - 3 1/4	H-104
HR - 3 1/2	CFH - 3 1/2	H-112
HR - 4	CFH - 4	H-128

Yoke Roller • Unsealed

SMITH®	McGill	RBC	Torrington
YR - 3/4	CYR - 3/4	Y-24	YCR - 12
YR - 7/8	CYR - 7/8	Y-28	YCR - 14
YR - 1	CYR - 1	Y-32	YCR - 16
YR - 1 1/8	CYR - 1 1/8	Y-36	YCR - 18
YR - 1 1/4	CYR - 1 1/4	Y-40	YCR - 20
YR - 1 3/8	CYR - 1 3/8	Y-44	YCR - 22
YR - 1 1/2	CYR - 1 1/2	Y-48	YCR - 24
YR - 1 5/8	CYR - 1 5/8	Y-52	YCR - 26
YR - 1 3/4	CYR - 1 3/4	Y-56	YCR - 28
YR - 1 7/8	CYR - 1 7/8	Y-60	YCR - 30
YR - 2	CYR - 2	Y-64	YCR - 32
YR - 2 1/4	CYR - 2 1/4	Y-72	YCR - 36
YR - 2 1/2	CYR - 2 1/2	Y-80	YCR - 40
YR - 2 3/4	CYR - 2 3/4	Y-88	YCR - 44
YR - 3	CYR - 3	Y-96	YCR - 48
YR - 3 1/4	CYR - 3 1/4	Y-104	YCR - 52
YR - 3 1/2	CYR - 3 1/2	Y-112	YCR - 56
YR - 4	CYR - 4	Y-128	YCR - 64
YR - 5	CYR - 5	Y-160	YCR - 80
YR - 6	CYR - 6	Y-192	YCR - 96

Optional Features	SMITH®	McGill	RBC	Torrington
Hex-Drive	Add Suffix "B"	Add Suffix "B"	Add Suffix "W"	Add Prefix "B"
Eccentric	Add Suffix "E"	Add Suffix "E"	Add Suffix "X"	Add Prefix "E"
Crowned O.D.	Add Suffix "C"	Add Prefix "C"	Add Prefix "C"	Add Prefix "C"
Thrust Seal	Add Suffix "L"	-	Replace "S" with "L"	-

INTERCHANGE TABLES

Sealed Cam Followers

Regular Stud • Sealed

SMITH®	McGill	RBC	Torrington
CR - 1/2-AX	CF - 1/2-N-S	---	CRS - 8
CR - 1/2-X	CF - 1/2-S	S - 16 -S	CRS - 8-1
CR - 9/16-X	CF - 9/16-S	S - 18 -S	---
CR - 5/8-AX	CF - 5/8-N-S	---	CRS - 10
CR - 5/8-X	CF - 5/8-S	S - 20 -S	CRS - 10-1
CR - 11/16-X	CF - 11/16-S	S - 22 -S	---
CR - 3/4-X	CF - 3/4-S	S - 24 -S	CRS - 12
CR - 7/8-X	CF - 7/8-S	S - 28 -S	CRS - 14
CR - 1-X	CF - 1-S	S - 32 -S	CRS - 16
CR - 1 1/8-X	CF - 1 1/8-S	S - 36 -S	CRS - 18
CR - 1 1/4-X	CF - 1 1/4-S	S - 40 -S	CRS - 20
CR - 1 3/8-X	CF - 1 3/8-S	S - 44 -S	CRS - 22
CR - 1 1/2-X	CF - 1 1/2-S	S - 48 -S	CRS - 24
CR - 1 5/8-X	CF - 1 5/8-S	S - 52 -S	CRS - 26
CR - 1 3/4-X	CF - 1 3/4-S	S - 56 -S	CRS - 28
CR - 1 7/8-X	CF - 1 7/8-S	S - 60 -S	CRS - 30
CR - 2-X	CF - 2-S	S - 64 -S	CRS - 32
CR - 2 1/4-X	CF - 2 1/4-S	S - 72 -S	CRS - 36
CR - 2 1/2-X	CF - 2 1/2-S	S - 80 -S	CRS - 40
CR - 2 3/4-X	CF - 2 3/4-S	S - 88 -S	CRS - 44
CR - 3-X	CF - 3-S	S - 96 -S	CRS - 48
CR - 3 1/4-X	CF - 3 1/4-S	S - 104 -S	CRS - 52
CR - 3 1/2-X	CF - 3 1/2-S	S - 112 -S	CRS - 56
CR - 4-X	CF - 4-S	S - 128 -S	CRS - 64
CR - 5-X	CF - 5-S	S - 160 -S	CRS - 80
CR - 6-X	CF - 6-S	S - 192 -S	CRS - 96

Heavy Stud • Sealed

SMITH®	McGill	RBC
HR - 1/2-X	CFH - 1/2-S	H-16 -S
HR - 5/8-X	CFH - 5/8-S	H-20 -S
HR - 3/4-X	CFH - 3/4-S	H-24 -S
HR - 7/8-X	CFH - 7/8-S	H-28 -S
HR - 1-X	CFH - 1-S	H-32 -S
HR - 1 1/8-X	CFH - 1 1/8-S	H-36 -S
HR - 1 1/4-X	CFH - 1 1/4-S	H-40 -S
HR - 1 3/8-X	CFH - 1 3/8-S	H-44 -S
HR - 1 1/2-X	CFH - 1 1/2-S	H-48 -S
HR - 1 5/8-X	CFH - 1 5/8-S	H-52 -S
HR - 1 3/4-X	CFH - 1 3/4-S	H-56 -S
HR - 1 7/8-X	CFH - 1 7/8-S	H-60 -S
HR - 2-X	CFH - 2-S	H-64 -S
HR - 2 1/4-X	CFH - 2 1/4-S	H-72 -S
HR - 2 1/2-X	CFH - 2 1/2-S	H-80 -S
HR - 2 3/4-X	CFH - 2 3/4-S	H-88 -S
HR - 3-X	CFH - 3-S	H-96 -S
HR - 3 1/4-X	CFH - 3 1/4-S	H-104 -S
HR - 3 1/2-X	CFH - 3 1/2-S	H-112 -S
HR - 4-X	CFH - 4-S	H-128 -S

Yoke Roller • Sealed

SMITH®	McGill	RBC	Torrington
YR - 3/4-X	CYR - 3/4-S	Y-24 -S	YCRS - 12
YR - 7/8-X	CYR - 7/8-S	Y-28 -S	YCRS - 14
YR - 1-X	CYR - 1-S	Y-32 -S	YCRS - 16
YR - 1 1/8-X	CYR - 1 1/8-S	Y-36 -S	YCRS - 18
YR - 1 1/4-X	CYR - 1 1/4-S	Y-40 -S	YCRS - 20
YR - 1 3/8-X	CYR - 1 3/8-S	Y-44 -S	YCRS - 22
YR - 1 1/2-X	CYR - 1 1/2-S	Y-48 -S	YCRS - 24
YR - 1 5/8-X	CYR - 1 5/8-S	Y-52 -S	YCRS - 26
YR - 1 3/4-X	CYR - 1 3/4-S	Y-56 -S	YCRS - 28
YR - 1 7/8-X	CYR - 1 7/8-S	Y-60 -S	YCRS - 30
YR - 2-X	CYR - 2-S	Y-64 -S	YCRS - 32
YR - 2 1/4-X	CYR - 2 1/4-S	Y-72 -S	YCRS - 36
YR - 2 1/2-X	CYR - 2 1/2-S	Y-80 -S	YCRS - 40
YR - 2 3/4-X	CYR - 2 3/4-S	Y-88 -S	YCRS - 44
YR - 3-X	CYR - 3-S	Y-96 -S	YCRS - 48
YR - 3 1/4-X	CYR - 3 1/4-S	Y-104 -S	YCRS - 52
YR - 3 1/2-X	CYR - 3 1/2-S	Y-112 -S	YCRS - 56
YR - 4-X	CYR - 4-S	Y-128 -S	YCRS - 64
YR - 5-X	CYR - 5-S	Y-160 -S	YCRS - 80
YR - 6-X	CYR - 6-S	Y-192 -S	YCRS - 96

Optional Features	SMITH®	McGill	RBC	Torrington
Hex-Drive	Add Suffix "B"	Add Suffix "B"	Add Suffix "W"	Add Prefix "B"
Eccentric	Add Suffix "E"	Add Suffix "E"	Add Suffix "X"	Add Prefix "E"
Crowned O.D.	Add Suffix "C"	Add Prefix "C"	Add Prefix "C"	Add Prefix "C"
Thrust Seal	Add Suffix "L"	-	Replace "S" with "L"	-

Stainless Steel Cam Followers

Regular Stud Screw-Driver Slot

SMITH®	McGill	Carter
CR-1/2-SS	CF-1/2-CR	SC-16
CR-5/8-SS	CF-5/8-CR	SC-20
CR-3/4-SS	CF-3/4-CR	SC-24
CR-7/8-SS	CF-7/8-CR	SC-28
CR-1-SS	CF-1-CR	SC-32
CR-1 1/8-SS	CF-1 1/8-CR	SC-36
CR-1 1/4-SS	CF-1 1/4-CR	SC-40
CR-1 3/8-SS	CF-1 3/8-CR	SC-44
CR-1 1/2-SS	CF-1 1/2-CR	SC-48
CR-1 5/8-SS	CF-1 5/8-CR	SC-52
CR-1 3/4-SS	CF-1 3/4-CR	SC-56
CR-1 7/8-SS	CF-1 7/8-CR	SC-60
CR-2-SS	CF-2-CR	SC-64
CR-2 1/4-SS	CF-2 1/4-CR	SC-72
CR-2 1/2-SS	CF-2 1/2-CR	-
CR-2 3/4-SS	CF-2 3/4-CR	-
CR-3-SS	CF-3-CR	-
CR-4-SS	CF-4-CR	-

Regular Stud Hex Socket

SMITH®	McGill	Carter
CR-1/2-B-SS	CF-1/2-B-CR	SC-16-B
CR-5/8-B-SS	CF-5/8-B-CR	SC-20-B
CR-3/4-B-SS	CF-3/4-B-CR	SC-24-B
CR-7/8-B-SS	CF-7/8-B-CR	SC-28-B
CR-1-B-SS	CF-1-B-CR	SC-32-B
CR-1 1/8-B-SS	CF-1 1/8-B-CR	SC-36-B
CR-1 1/4-B-SS	CF-1 1/4-B-CR	SC-40-B
CR-1 3/8-B-SS	CF-1 3/8-B-CR	SC-44-B
CR-1 1/2-B-SS	CF-1 1/2-B-CR	SC-48-B
CR-1 5/8-B-SS	CF-1 5/8-B-CR	SC-52-B
CR-1 3/4-B-SS	CF-1 3/4-B-CR	SC-56-B
CR-1 7/8-SS	CF-1 7/8-B-CR	SC-60-B
CR-2-B-SS	CF-2-B-CR	SC-64-B
CR-2 1/4-B-SS	CF-2 1/4-B-CR	SC-72-B
CR-2 1/2-B-SS	CF-2 1/2-B-CR	-
CR-2 3/4-B-SS	CF-2 3/4-B-CR	-
CR-3-B-SS	CF-3-B-CR	-
CR-4-B-SS	CF-4-B-CR	-

Yoke Type

SMITH®	McGill	Carter
YR-3/4-SS	CYR-3/4-CR	SY-24
YR-7/8-SS	CYR-7/8-CR	SY-28
YR-1-SS	CYR-1-CR	SY-32
YR-1 1/8-SS	CYR-1 1/8-CR	SY-36
YR-1 1/4-SS	CYR-1 1/4-CR	SY-40
YR-1 3/8-SS	CYR-1 3/8-CR	SY-44
YR-1 1/2-SS	CYR-1 1/2-CR	SY-48
YR-1 5/8-SS	CYR-1 5/8-CR	SY-52
YR-1 3/4-SS	CYR-1 3/4-CR	SY-56
YR-1 7/8-SS	CYR-1 7/8-CR	SY-60
YR-2-SS	CYR-2-CR	SY-64
YR-2 1/4-SS	-	SY-72

Coding for Other Features

Optional Feature	SMITH®	McGILL	Carter
Sealed	add suffix "X"	add suffix "S"	add suffix "S"
Hex-Drive	add suffix "B"	add suffix "B"	add suffix "B"

INTERCHANGE TABLES

Cam Followers with

Non-Metallic Bushing

Stud Type Screw-Driver Slot

SMITH®	McGill	Carter
BCR-1/2	BCF-1/2	N/A
BCR-5/8	BCF-5/8	N/A
BCR-11/16	BCF-11/16	N/A
BCR-3/4	BCF-3/4	N/A
BCR-7/8	BCF-7/8	N/A
BCR-1	BCF-1	N/A
BCR-11/8	BCF-11/8	N/A
BCR-11/4	BCF-11/4	N/A
BCR-13/8	BCF-13/8	N/A
BCR-11/2	BCF-11/2	N/A
BCR-15/8	BCF-15/8	N/A
BCR-13/4	BCF-13/4	N/A
BCR-17/8	BCF-17/8	N/A
BCR-2	BCF-2	N/A
BCR-21/4	BCF-21/4	N/A
BCR-21/2	BCF-21/2	N/A
BCR-23/4	BCF-23/4	N/A
BCR-3	BCF-3	N/A

Stud Type Hex Socket

SMITH®	McGill	Carter
BCR-1/2-B	BCF-1/2-B	SFH-16-A
BCR-5/8-B	BCF-5/8-B	SFH-20-A
BCR-11/16-B	BCF-11/16-B	SFH-22-A
BCR-3/4-B	BCF-3/4-B	SFH-24-A
BCR-7/8-B	BCF-7/8-B	SFH-28-A
BCR-1-B	BCF-1-B	SFH-32-A
BCR-11/8-B	BCF-11/8-B	SFH-36-A
BCR-11/4-B	BCF-11/4-B	SFH-40-A
BCR-13/8-B	BCF-13/8-B	SFH-44-A
BCR-11/2-B	BCF-11/2-B	SFH-48-A
BCR-15/8-B	BCF-15/8-B	SFH-52-A
BCR-13/4-B	BCF-13/4-B	SFH-56-A
BCR-17/8-B	BCF-17/8-B	SFH-60-A
BCR-2-B	BCF-2-B	SFH-64-A
BCR-21/4-B	BCF-21/4-B	SFH-72-A
BCR-21/2-B	BCF-21/2-B	SFH-80-A
BCR-23/4-B	BCF-23/4-B	SFH-88-A
BCR-3-B	BCF-3-B	SFH-96-A

Yoke Type

SMITH®	McGill	Carter
BYR-3/4	BCYR-3/4	NYR-24-A
BYR-7/8	BCYR-7/8	NYR-28-A
BYR-1	BCYR-1	NYR-32-A
BYR-11/8	BCYR-11/8	NYR-36-A
BYR-11/4	BCYR-11/4	NYR-40-A
BYR-13/8	BCYR-13/8	NYR-44-A
BYR-11/2	BCYR-11/2	NYR-48-A
BYR-15/8	BCYR-15/8	NYR-52-A
BYR-13/4	BCYR-13/4	NYR-56-A
BYR-17/8	BCYR-17/8	NYR-60-A
BYR-2	BCYR-2	NYR-64-A
BYR-21/4	BCYR-21/4	NYR-72-A
BYR-21/2	BCYR-21/2	NYR-80-A
BYR-23/4	BCYR-23/4	NYR-88-A
BYR-3	BCYR-3	NYR-96-A

Coding for Other Features

Optional Feature	SMITH®	McGILL
Sealed	add suffix "X"	add suffix "S"

INTERCHANGE TABLES

Metric Cam Followers

STUD TYPE – Caged & Full Complement

SMITH®		McGILL		INA • SKF • NTN		IKO • THK	
Caged	Full Complement	Caged	Full Complement	Caged	Full Complement	Caged	Full Complement
MCR-13	MCRV-13	MCFR-13	MCF-13	–	–	CF5	–
MCR-16	MCRV-16	MCFR-16	MCF-16	KR-16	KRV-16	CF6R	CF6VR
MCR-19	MCRV-19	MCFR-19	MCF-19	KR-19	KRV-19	CF8R	CF8VR
MCR-22	MCRV-22	MCFR-22	MCF-22	KR-22	KRV-22	–	–
–	–	MCFR-22-A	MCF-22A	–	–	CF10R	CF10VR
MCR-26	MCRV-26	MCFR-26	MCF-26	KR-26	KRV-26	–	–
–	–	MCFR-26-A	MCF-26A	–	–	CF10-1R	CF10-1VR
MCR-30	MCRV-30	MCFR-30	MCF-30	KR-30	KRV-30	CF12R	CF12VR
MCR-32	MCRV-32	MCFR-32	MCF-32	KR-32	KRV-32	CF12-1R	CF12-1VR
MCR-35	MCRV-35	MCFR-35	MCF-35	KR-35	KRV-35	CF16R	CF16VR
MCR-40	MCRV-40	MCFR-40	MCF-40	KR-40	KRV-40	–	–
–	–	MCFR-40-A	MCF-40A	–	–	CF18R	CF18VR
MCR-47	MCRV-47	MCFR-47	MCF-47	KR-47	KRV-47	–	–
–	–	MCFR-47-A	MCF-47A	–	–	CF20-1R	CF20-1VR
MCR-52	MCRV-52	MCFR-52	MCF-52	KR-52	KRV-52	–	–
–	–	MCFR-52-A	MCF-52A	–	–	CF20R	CF20VR
MCR-62	MCRV-62	MCFR-62	MCF-62	KR-62	KRV-62	–	–
–	–	MCFR-62-A	MCF-62A	–	–	CF24R	CF24VR
MCR-72	MCRV-72	MCFR-72	MCF-72	KR-72	KRV-72	–	–
–	–	MCFR-72-A	MCF-72A	–	–	CF24-1R	CF24-1VR
MCR-80	MCRV-80	MCFR-80	MCF-80	KR-80	KRV-80	CF30R	CF30VR
MCR-85	MCRV-85	MCFR-85	MCF-85	KR-85	–	CF30-1R	CF30-1VR
MCR-90	MCRV-90	MCFR-90	MCF-90	KR-90	KRV-90	CF30-2R	CF30-2VR

Coding for Other Cam Followers and Yoke Roller Types

Optional Features	SMITH®	McGILL	INA • SKF	IKO	THK	NTN
Sealed	add suffix "S"	add suffix "S"	add suffix "PP"	add suffix "UU"	add suffix "UU"	add suffix "LL"
Cylindrical O.D.	add suffix "C"	add suffix "X"	add suffix "X"	remove suffix "R"	remove suffix "R"	add suffix "X"
Hex-Drive	add suffix "B"	add suffix "B"	add suffix "SK"	add suffix "B"	add suffix "A"	add suffix "H"
Eccentric	add suffix "E"	add prefix "E"	add prefix "E"	add prefix "E"		

YOKE TYPE – Caged & Full Complement

SMITH®		McGILL		INA • SKF • NTN		IKO • THK	
Caged	Full Complement	Caged	Full Complement	Caged	Full Complement	Caged	Full Complement
MYR-5	MYRV-5	MCYRR-5	MCYR-5	NATR-5	NATV-5	NART-5R	NART-5VR
MYR-6	MYRV-6	MCYRR-6	MCYR-6	NATR-6	NATV-6	NART-6R	NART-6VR
MYR-8	MYRV-8	MCYRR-8	MCYR-8	NATR-8	NATV-8	NART-8R	NART-8VR
MYR-10	MYRV-10	MCYRR-10	MCYR-10	NATR-10	NATV-10	NART-10R	NART-10VR
MYR-12	MYRV-12	MCYRR-12	MCYR-12	NATR-12	NATV-12	NART-12R	NART-12VR
MYR-15	MYRV-15	MCYRR-15	MCYR-15	NATR-15	NATV-15	NART-15R	NART-15VR
MYR-17	MYRV-17	MCYRR-17	MCYR-17	NATR-17	NATV-17	NART-17R	NART-17VR
MYR-20	MYRV-20	MCYRR-20	MCYR-20	NATR-20	NATV-20	NART-20R	NART-20VR
MYR-25	MYRV-25	MCYRR-25	MCYR-25	NATR-25	NATV-25	NART-25R	NART-25VR
MYR-30	MYRV-30	MCYRR-30	MCYR-30	NATR-30	NATV-30	NART-30R	NART-30VR
MYR-35	MYRV-35	MCYRR-35	MCYR-35	NATR-35	NATV-35	NART-35R	NART-35VR
MYR-40	MYRV-40	MCYRR-40	MCYR-40	NATR-40	NATV-40	NART-40R	NART-40VR
MYR-45	MYRV-45	MCYRR-45	MCYR-45	NATR-45	–	NART-45R	NART-45VR
MYR-50	MYRV-50	MCYRR-50	MCYR-50	NATR-50	NATV-50	NART-50R	NART-50VR

Metric Cam Followers

Double Row • Heavy Rollers • Screwdriver Slot • Shielded • Full Complement

SMITH® • INA	McGILL
NUKR-35	MCFD-35
NUKR-40	MCFD-40
NUKR-47	MCFD-47
NUKR-52	MCFD-52
NUKR-62	MCFD-62
NUKR-72	MCFD-72
NUKR-80	MCFD-80
NUKR-85	MCFD-85
NUKR-90	MCFD-90



Double Row • Heavy Rollers • Yoke Type • Shielded • Full Complement

SMITH®	McGILL	INA
MUTD-15	MCYRD-15	NUTR-15
MUTD-17	MCYRD-17	NUTR-17
MUTD-1542	MCYRD-1542	NUTR-1542
MUTD-1747	MCYRD-1747	NUTR-1747
MUTD-20	MCYRD-20	NUTR-20
MUTD-2052	MCYRD-2052	NUTR-2052
MUTD-25	MCYRD-25	NUTR-25
MUTD-2562	MCYRD-2562	NUTR-2562
MUTD-30	MCYRD-30	NUTR-30
MUTD-3072	MCYRD-3072	NUTR-3072
MUTD-35	MCYRD-35	NUTR-35
MUTD-3580	MCYRD-3580	NUTR-3580
MUTD-40	MCYRD-40	NUTR-40
MUTD-45	MCYRD-45	NUTR-45
MUTD-4090	MCYRD-4090	NUTR-4090
MUTD-50	MCYRD-50	NUTR-50
MUTD-45100	MCYRD-45100	NUTR-45100
MUTD-50110	MCYRD-50110	NUTR-50110



Bearing Unit Interchange

Description	IPTCI	AMI/Asahi	Browning	Dodge	FYH	Fafnir	Hub City	Link Belt	MB/McGill	Peer	Sealmaster
Pillow Blocks	UCP205-16	UCP205-16	VPS-216	P2B-SC-100	UCP205-16	YAS 1	-	P3-U216N	C-25-1	UCP205-16	NP-16
	NAP205-16	UGP205-16	VPE-216	P2B-SXR-100	NAP205-16	RAS 1	-	P3-Y216N	-	HCP205-16	RP-16E
	UCPL205-16	UCLP205-16	VPLS-216	P2B-SCB-100	SL(UCSL)205-16	YAK 1	-	PL3-U216N	CL-25-1	UCLP205-16	NPL-16
	NAPL205-16	UGLP205-16	VPLE-216	P2B-SXRB-100	NAPK205-16	RAK 1	-	PL3-Y216N	-	HCLP205-16	RPL-16E
	SBP205-16G	BP205-16	VPS-116	-	VBP205-16	SAS 1	PB251-1	-	-	FHSP205-16G	VP-16
	SBPL205-16G	BLP205-16	VPLS-116	-	VBSL205-16	SAK 1	PB250-1	-	-	FHSLP205-16G	VPL-16
	SAP205-16G	KHP205-16	VPE-116	P2B-SXV-100	VAP205-16	VAS 1	PB221-1	P3-W216U	-	FHP205-16G	VP-16E
	SAPL205-16G	KHLP205-16	VPLE-116	P2B-SXVB-100	VASL205-16	VAK 1	PB220-1	PL3-W216U	-	FHLP205-16G	VPL-16E
	UCPX05-16	UCPX05-16	VPS-316	P2B-SCM-100	UCPX05-16	-	-	-	C-35-1	UCPX05-16	MP-16
	SBLP205-16G	BLLP5-16	-	-	BLP205-16	-	PB100/150-1	-	-	FHSPWC205-16	-
SALP205-16G	KHLLP205-16	-	-	ALP205-16	-	-	-	-	FHPWC205-16	-	
Tapped Base Pillow Blocks	UCPA205-16	UCTB205-16	VTBS-216	TB-SC-100	UCPAN205-16	YTB 1	-	PT3-U216N	TBC-25-1	UCPA205-16	TB-16
	NAPA205-16	UGTB205-16	VTBE-216	TB-SXR-100	NAPAN205-16	RTB 1	-	PT3-Y216N	-	HCPA205-16	RPB-16
	SBPA205-16G	BTB205-16	VTBS-116	-	VBPAN205-16	STB 1	TB250-1	-	-	FHSPA205-16G	-
	SAPA205-16G	KHTB205-16	VTBE-116	TB-SXV-100	VAPAN205-16	VTB 1	-	-	-	FHPA205-16G	-
4-bolt Flanges	UCF205-16	UCF205-16	VF4S-216	F4B-SC-100	UCF205-16	YCJ 1	-	F3-U216N	FC4-25-1	UCF205-16	SF-16
	NANF205-16	UGSLF205-16	VF4E-216	F4B-SXR-100	NANF205-16	RCJ 1	-	F3-Y216N	-	HCFS205-16	RF-16E
	SBF205-16	BF205-16	VF4S-116	-	VBF205-16	SCJ 1	FB250-1	-	-	FHSF205-16G	VF-16
	SAF205-16G	KHF205-16	VF4E-116	F4B-SXV-100	VAF205-16	VCJ 1	FB220-1	F3-W216U	-	FHF205-16G	VF-16E
	UCFX05-16	UCFX05-16	VF4S-316	F4B-SCM-100	UCFX05-16	-	-	-	FC4-35-1	UCFX05-16	MSF-16
3-bolt Flanges	SBRFB205-16G	BTM205-16	VF3S-116	LF-SC-100	-	GSFD 1	FB150-1	-	-	FHSF3X205-16G	LF-16
	SARFB205-16G	KHTM205-16	VF3E-116	LF-SXV-100	-	GVFD 1	-	F-WG216U	-	FHF3X205-16G	LF-16E
2-bolt Flanges	UCFL205-16	UCFT205-16	VF2S-216	F2B-SC-100	UCFL205-16	YCJT 1	-	FX3-U216N	FC2-25-1	UCFT205-16	SFT-16
	NANFL205-16	UGFJT205-16	VF2E-216	F2B-SXR-100	NANFL205-16	RCJT 1	-	FX3-Y216N	-	HCFTS205-16	RFT-16E
	SBFL205-16G	BFT205-16	VF2S-116	-	VBFL205-16	SCJT 1	FB260-1	-	-	FHSFT205-16G	VFT-16
	SAFL205-16G	KHFT205-16	VF2E-116	F2B-SXV-100	VAFL205-16	VCJT 1	FB230-1	FX3-W216U	-	FHFT205-16G	VFT-16E
	UCFLX205-16	UCFLX05-16	VF2S-316	F2B-SCM-100	-	-	-	-	FC2-35-1	-	MSFT-16
	SBLF205-16G	BLFL5-16	-	-	BLF205-16	-	-	-	-	FHSLF205-16G	-
	SALF205-16G	KHLFL205-16	-	-	ALF205-16	-	-	-	-	FHLF205-16G	-
	SBLF205-16GH4	BFX205-16	VF2S-116M	LFT-SC-100	-	GSFTD 1	FB110/160-1	-	-	FHSFX205-16G	LFT-16
	SALF205-16GH4	KHFX205-16	VF2E-116M	-	-	GVFTD 1	-	FX-WG216U	-	FHFX205-16G	LFT-16E
Piloted Flanges	UCFCF205-16	UCFCF205-16	-	-	UCFCF205-16	RFC 1	-	FC3-U216N	-	-	-
	UCFCS205-16	UCFCS205-16	VFCS-216	FC-SC-100	-	-	-	-	PFC4-25-1 1/4	-	SFC-16
	UCFC205-16	UCFC205-16	-	-	UCFC205-16	-	-	-	-	UCFC205-16	-
	UCFCX05-16	UCFCX05-16	VFCS-316	FC-SCM-100	UCFCX05-16	-	FC350-1	-	PFC4-35-1 3/16	-	MFC-16
Flange Brkts	UCFB205-16	UCFB205-16	-	FB-SC-100	UCFB205-16	-	-	FB3-U216N	MFB-1	UCFB205-16	FB-16
Take-up Units	UCT205-16	UCST205-16	VTWS-216	WSTU-SC-100	UCT205-16	YTU 1	WSTU250-1	TH3-U200N	TC-25-1	UCT205-16	ST-16
	UCTRS205-16	-	-	NSTU-SC-100	-	-	-	-	-	-	-
	NAT205-16	UGST205-16	VTWE-216	WSTU-SXR-100	NAT205-16	RTU 1	WSTU220-1	-	-	HCT205-16	RT-16E
	UCTX05-16	UCTX05-16	VTWS-316	WSTU-SCM-100	UCTX05-16	-	-	-	TC-35-1	-	MST-16
Hanger Units	UCHA205-16	UCECH205-16	-	SCHB-SC-100 *zerk	UCHA205-16	RHC 1	-	-	MEHB-1	UCHA205-16	SEHB-16
Insert Bearings	UC/UCW205-16	UC205-16	VS-216	INS-SC-100	UC205-16	GY1100KRRB	YW250-1	UG216NL	MB-25-1	UC205-16	2-1
	UC205-16L3	-	-	-	UC205-16L3	GY1100KPPB3	-	UG216E3	-	UC205-16TRL	-
	NA/NAW205-16	UG205-16	VE-216	INS-SXR-100	NA205-16	G1100KRRB	YW220-1	YG216NL	-	HC205-16	R-16E
	NA205-16L3	-	-	-	NA205-16L3	G1100KPPB3	-	YG216E3	-	HC205-16TRL	-
	UCX05-16	UCX05-16	VS-316	INS-SCM-100	UCX05-16	GYM100KRRB	B350-1	-	MB-35-1	UCX05-16	3-1
	ER205-16	SER205-16	VER-216	-	ER205-16	ER-16	-	-	ER-16	SER-16	ER-16
	SB205-16N	B5-16	LS-116	-	SB205-16KG5	YA100RRB	B250-1	S216EL	-	FHS205-16	L-16
	SB205-16G	B5-16	VS-116	INS-VSC-100	SB205-16KP8	GYA100RRB	B250-1	SG216EL	-	FHS205-16	V-16
	CSB205-16N	BR5-16	SLS-116	-	SBB205-16	YA100RR	-	-	-	FHSR205-16	SL-16
	SA205-16N	KH205-16	LE-116	-	SA205-16FP7	RA100RRB	B220-1	W216UL	-	FH205-16	L-16E
SA205-16G	KH205-16	VE-116	INS-SXV-100	SA205-16FP9	GRA100RRB	B220-1	WG216UL	-	FH205-16	V-16E	
CSA205-16N	KHR205-16	SLE-116	-	SAA205-16	RA100RR	-	WB216UL	-	FHR205-16	SL-16E	

(All Shown in 1" size)

Pitchlign® Roller Bearing Interchange Tables

Torrington	RBC	Size
HJ-101812	SJ7133	5/8
HJ-122012	SJ7153	3/4
HJ-122016	SJ7154	3/4
HJ-142212	SJ7173	7/8
HJ-142216	SJ7174	7/8
HJ-162412	SJ7194	1
HJ-162416	SJ7204	1 1/16
HJ-182616	SJ7214	1 1/8
HJ-182620	SJ7215	1 1/8
HJ-202816	SJ7234	1 1/4
HJ-202820	SJ7235	1 1/4
HJ-223016	SJ7254	1 3/8
HJ-223020	SJ7255	1 3/8
HJ-243316	SJ7274	1 1/2
HJ-243320	SJ7275	1 1/2
HJ-263516	SJ7294	1 5/8
HJ-263520	SJ7295	1 5/8
HJ-283716	SJ7314	1 3/4
HJ-283720	SJ7315	1 3/4
HJ-303920	SJ7335	1 7/8
HJ-324116	SJ7354	2
HJ-324120	SJ7355	2
HJ-364824	SJ8406	2 1/4
HJ-364828	SJ8407	2 1/4
HJ-405224	SJ8446	2 1/2
HJ-405228	SJ8447	2 1/2
HJ-445616	SJ8474	
HJ-445624	SJ8476	2 3/4
HJ-445628	SJ8477	2 3/4
HJ-486024	SJ8516	3
HJ-486028	SJ8517	3
HJ-526828	SJ9567	3 1/4
HJ-526832	SJ9568	3 1/4
HJ-567232	SJ9608	3 1/2
HJ-607632	SJ9648	3 3/4
HJ-648032	SJ9688	4
HJ-688432	SJ9728	4 1/4
HJ-729636	TJ6769	4 1/2
HJ-729640	TJ6770	4 1/2
HJ-8010436	SJ6849	5
HJ-8010440	SJ6850	5
HJ-8811240	TJ6918	5 1/2
HJ-8811248	TJ6919	5 1/2
HJ-9612040	SJ6925	6
HJ-9612048	SJ6926	6
HJ-10412840	SJ6935	6 1/2
HJ-10412848	SJ6936	6 1/2
HJ-11614648	SJ2326	7 1/4
HJ-12415448	SJ2426	7 3/4
HJ-13216248	SJ2526	8 1/4
HJT-101816	SJ7134S	5/8
HJT-122016	SJ7154S	3/4
HJT-142216	SJ7174S	7/8
HJT-162416	SJ7194S	1
HJT-182620	SJ7215S	1 1/8
HJT-202820	SJ7235S	1 1/4
HJT-223020	SJ7255S	1 3/8
HJT-243320	SJ7275S	1 1/2
HJT-263520	SJ7295S	1 5/8
HJT-283720	SJ7315S	1 3/4
HJT-324120	SJ7355S	2
HJT-364828	SJ8407S	2 1/4
HJT-405228	SJ8447S	2 1/2
HJT-445628	SJ8477S	2 3/4
HJT-486028	SJ8517S	3
HJTT-101816	SJ7134SS	5/8
HJTT-122816	SJ7154SS	3/4
HJTT-142216	SJ7174SS	7/8
HJTT-162416	SJ7194SS	1
HJTT-182620	SJ7215SS	1 1/8
HJTT-202820	SJ7235SS	1 1/4
HJTT-223020	SJ7255SS	1 3/8
HJTT-243320	SJ7275SS	1 1/2
HJTT-263520	SJ7295SS	1 5/8
HJTT-283720	SJ7315SS	1 3/4
HJTT-324120	SJ7355SS	2

Torrington	RBC	Size
HJTT-364828	SJ8407SS	2 1/4
HJTT-405228	SJ8447SS	2 1/2
HJTT-445628	SJ8477SS	2 3/4
HJTT-486028	SJ8517SS	3
IR-061012	IR7133	5/8
IR-081212	IR7153	3/4
IR-081216	IR7154	3/4
IR-101412	IR7173	7/8
IR-111412	IR7173C	7/8
IR-101416	IR7174	7/8
IR-121612	IR7193	1
IR-121616	IR7194	1
IR-131616	IR7194C	1
IR-141816	IR7214	1 1/8
IR-141820	IR7215	1 1/8
IR-151816	IR7214C	1 1/8
IR-151820	IR7215C	1 1/8
IR-162016	IR7234	1 1/4
IR-162020	IR7235	1 1/4
IR-182216	IR7254	1 3/8
IR-182220	IR7255	1 3/8
IR-192420	IR7275	1 1/2
IR-202416	IR7274C	1 1/2
IR-202420	IR7275C	1 1/2
IR-212616	IR7294	1 5/8
IR-212620	IR7295	1 5/8
IR-222620	IR7295C	1 5/8
IR-222820	IR7315D	1 3/4
IR-232816	IR7314	1 3/4
IR-232820	IR7315	1 3/4
IR-242816	IR7314C	1 3/4
IR-242820	IR7315C	1 3/4
IR-253020	IR7335	1 7/8
IR-243220	IR7355D2	2
IR-253220	IR7355D1	2
IR-263220	IR7355D	2
IR-273216	IR7354	2
IR-273220	IR7355	2
IR-283624	IR8406	2 1/4
IR-283628	IR8407	2 1/4
IR-314024	IR8446	2 1/2
IR-314028	IR8447	2 1/2
IR-324024	IR8446C	2 1/2
IR-324028	IR8447C	2 1/2
IR-354428	IR8477	2 3/4
IR-364424	IR8476C	2 3/4
IR-364428	IR8477C	2 3/4
IR-384828	IR8517	3
IR-404824	IR8516C	3
IR-404828	IR8517C	3
IR-445228	IR9567	3 1/4
IR-445232	IR9568	3 1/4
IR-475632	IR9608	3 1/2
IR-485632	IR9608C	3 1/2
IR-506032	IR9648	3 3/4
IR-526032	IR9648C	3 3/4
IR-526432	IR9688D	4
IR-546432	IR9688	4
IR-566432	IR9688C	4
IR-566832	IR9728	4 1/4
IR-606832	IR9728C1	4 1/4
IR-607236	IR6769	4 1/2
IR-648036	IR6849	5
IR-648040	IR6850	5
IR-688036	IR6849C	5
IR-728840	IR6918	5 1/2
IR-728848	IR6919	5 1/2
IR-809640	IR6925	6
IR-809648	IR6926	6
IR-8810440	IR6935	6 1/2
IR-8810448	IR6936	6 1/2
IR-9611648	IR2326	7 1/4
IR-10412448	IR2426	7 3/4
IR-11213248	IR2526	8 1/4
IR-12014048	IR2626	8 3/4
IR-12814848	IR2726	9 1/4



SJ



IR



TJ

Pitchlign® Roller Bearing Interchange Tables

McGill	RBC	Size
MR-10	SJ7134	5/8
MR-10-N	SJ7133	5/8
MR-10-RS	SJ7134S	5/8
MR-10-RSS	SJ7134SS	5/8
MR-12	SJ7154	3/4
MR-12-N	SJ7153	3/4
MR-12-RS	SJ7154S	3/4
MR-12-RSS	SJ7154SS	3/4
MR-14	SJ7174	7/8
MR-14-N	SJ7173	7/8
MR-14-RS	SJ7174S	7/8
MR-14-RSS	SJ7174SS	7/8
MR-16	SJ7194	1
MR-16-N	SJ7193	1
MR-16-RS	SJ7194S	1
MR-16-RSS	SJ7194SS	1
MR-18	SJ7215	1 1/8
MR-18-N	SJ7214	1 1/8
MR-18-RS	SJ7215S	1 1/8
MR-18-RSS	SJ7215SS	1 1/8
MR-20	SJ7235	1 1/4
MR-20-N	SJ7234	1 1/4
MR-20-RS	SJ7235S	1 1/4
MR-20-RSS	SJ7235SS	1 1/4
MR-22	SJ7255	1 3/8
MR-22-N	SJ7254	1 3/8
MR-22-RS	SJ7255S	1 3/8
MR-22-RSS	SJ7255SS	1 3/8
MR-24	SJ7275	1 1/2
MR-24-N	SJ7274	1 1/2
MR-24-RS	SJ7275S	1 1/2
MR-24-RSS	SJ7275SS	1 1/2
MR-26	SJ7295	1 5/8
MR-26-N	SJ7294	1 5/8
MR-26-RS	SJ7295S	1 5/8
MR-26-RSS	SJ7295SS	1 5/8
MR-28	SJ7315	1 3/4
MR-28-N	SJ7314	1 3/4
MR-28-RS	SJ7315S	1 3/4
MR-28-RSS	SJ7315SS	1 3/4
MR-30	SJ7335	1 7/8
MR-30-N	SJ7334	1 7/8
MR-30-RS	SJ7335S	1 7/8
MR-30-RSS	SJ7335SS	1 7/8
MR-31	SJ7345	1 15/16
MR-32	SJ7355	2
MR-32-N	SJ7354	2
MR-32-RS	SJ7355S	2
MR-32-RSS	SJ7355SS	2
MR-36	SJ8407	2 1/4
MR-36-N	SJ8406	2 1/4
MR-36-RS	SJ8407S	2 1/4
MR-36-RSS	SJ8407SS	2 1/4
MR-40	SJ8447	2 1/2
MR-40-N	SJ8446	2 1/2
MR-40-RS	SJ8447S	2 1/2
MR-40-RSS	SJ8447SS	2 1/2
MR-44	SJ8477	2 3/4
MR-44-N	SJ8476	2 3/4
MR-44-RS	SJ8477S	2 3/4
MR-44-RSS	SJ8477SS	2 3/4
MR-48	SJ8517	3
MR-48-N	SJ8516	3
MR-48-RS	SJ8517S	3
MR-48-RSS	SJ8517SS	3
MR-52	SJ9567	3 1/4
MR-56	SJ9608	3 1/2
MR-56-N	SJ9607	3 1/2
MR-56-RS	SJ9608S	3 1/2
MR-56-RSS	SJ9608SS	3 1/2
MR-60	SJ9648	3 3/4
MR-64	SJ9688	4
MR-68	SJ9728	4 1/4
MR-72	TJ6769	4 1/2
MR-80	SJ6849	5
MR-88	TJ6919	5 1/2
MR-88-N	TJ6918	5 1/2
MR-104-N	SJ6935	6 1/2
MR-116	SJ2326	7 1/4
MR-132	SJ2526	8 1/4

McGill	RBC	Size
MI-6	IR7134	5/8
MI-6-N	IR7133	5/8
MI-8	IR7154	3/4
MI-8-N	IR7153	3/4
MI-9-N	IR7153C	3/4
MI-10	IR7174	7/8
MI-10-N	IR7173	7/8
MI-11-N	IR7173C	7/8
MI-12	IR7194	1
MI-12-N	IR7193	1
MI-13	IR7194C	1
MI-13-N	IR7193C	1
MI-14	IR7215	1 1/8
MI-14-N	IR7214	1 1/8
MI-15	IR7215C	1 1/8
MI-15-N	IR7214C	1 1/8
MI-16	IR7235	1 1/4
MI-16-N	IR7234	1 1/4
MI-17	IR7255D	1 3/8
MI-18	IR7255	1 3/8
MI-18-N	IR7254	1 3/8
MI-19	IR7275	1 1/2
MI-20	IR7275C	1 1/2
MI-20-N	IR7274C	1 1/2
MI-21	IR7295	1 5/8
MI-21-N	IR7294	1 5/8
MI-22-4S	IR7295C	1 5/8
MI-22	IR7315D	1 3/4
MI-23	IR7315	1 3/4
MI-24	IR7315C	1 3/4
MI-24-N	IR7314C	1 3/4
MI-25	IR7355D1	2
MI-25-4S	IR7335	1 7/8
MI-26	IR7355D	2
MI-26-2S	IR7345	1 15/16
MI-27	IR7355	2
MI-28	IR8407	2 1/4
MI-28-N	IR8406	2 1/4
MI-30	IR8407C1	2 1/4
MI-31	IR8447	2 1/2
MI-32	IR8447C	2 1/2
MI-32-N	IR8446C	2 1/2
MI-34	IR8447C1	2 1/2
MI-35	IR8477	2 3/4
MI-36	IR8477C	2 3/4
MI-40-N	IR8516C	3
MI-42	IR9567D	3 1/4
MI-44	IR9567	3 1/4
MI-47	IR9608	3 1/2
MI-48	IR9608C	3 1/2
MI-48-N	IR9607C	3 1/2
MI-50	IR9648	3 3/4
MI-52	IR9648C	3 3/4
MI-54	IR9688	4
MI-56	IR9688C	4
MI-58	IR9728C	4 1/4
MI-60	IR9728C1	4 1/4
MI-62	IR6769C	4 1/2
MI-64	IR6849	5
MI-68	IR6849C	5
MI-72	IR6919	5 1/2
MI-72-N	IR6918	5 1/2
MI-80	IR6926	6
MI-80-N	IR6925	6
MI-88	IR6936	6 1/2
MI-88-N	IR6935	6 1/2
MI-96	IR2326	7 1/4
MI-104	IR2426	7 3/4
MI-112	IR2526	8 1/4
MI-120	IR2626	8 3/4
MI-128	IR2726	9 1/4

INA	RBC	Size
NCS-1012	SJ7133	5/8
NCS-1016	SJ7134	5/8
NCS-1212	SJ7153	3/4
NCS-1216	SJ7154	3/4
NCS-1412	SJ7173	7/8
NCS-1416	SJ7174	7/8
NCS-1612	SJ7193	1
NCS-1616	SJ7194	1
NCS-1816	SJ7214	1 1/8
NCS-1820	SJ7215	1 1/8
NCS-2016	SJ7234	1 1/4
NCS-2020	SJ7235	1 1/4
NCS-2216	SJ7254	1 3/8
NCS-2220	SJ7255	1 3/8
NCS-2416	SJ7274	1 1/2
NCS-2420	SJ7275	1 1/2
NCS-2616	SJ7294	1 5/8
NCS-2620	SJ7295	1 5/8
NCS-2816	SJ7314	1 3/4
NCS2820	SJ7315	1 3/4
NCS3020	SJ7335	1 7/8
NCS-3220	SJ7355	2
NCS-3624	SJ8406	2 1/4
NCS-4024	SJ8446	2 1/2
NCS-4424	SJ8476	2 3/4
NCS-4824	SJ8516	3
NCS-5228	SJ9567	3 1/4
NCS-5632	SJ9608	3 1/2
NCS6832	SJ9728	4 1/4
PI-081212	IR7153	3/4
PI-081216	IR7154	3/4
PI-101412	IR7173	7/8
PI-101416	IR7174	7/8
PI-121612	IR7193	1
PI-121616	IR7194	1
PI-141816	IR7214	1 1/8
PI-141820	IR7215	1 1/8
PI-162016	IR7234	1 1/4
PI-162020	IR7235	1 1/4
PI-182216	IR7254	1 3/8
PI-182220	IR7255	1 3/8
PI-202420	IR7275C	1 1/2
PI-212616	IR7294	1 5/8
PI-222620	IR7295C	1 5/8
PI-232820	IR7315	1 3/4
PI-242820	IR7315C	1 3/4
PI-253020	IR7335	1 7/8
PI-273220	IR7355	2
PI-283264	IR8406C	2 1/4
PI-283624	IR8407C1	2 1/4
PI-324024	IR8447	2 1/2
PI-364424	IR8477	2 3/4
PI-404824	IR8517	3
PI-445228	IR9568	3 1/4
PI-485632	IR9648	3 3/4